

### M.3 Standard form

In physics we deal with very large numbers and very small numbers.

For example, the speed of light in a vacuum is  $300\,000\,000\text{ m/s}$ , and the size of the atom is approximately  $0.000\,000\,0001\text{ m}$ .



videos

We can use the standard form notation to make it easier to write and manipulate large and small numbers.

In standard form we write the speed of light as  $3 \times 10^8\text{ m/s}$ . It means that we multiply 3 by  $10^8$  ( $= 10 \times 10$ ) (i.e. multiply 3 by 10, eight times). Remember that multiplying by 10 moves the 3 one decimal place to the left.

$$\begin{array}{c}
 \times 10 \\
 \swarrow \swarrow \swarrow \swarrow \swarrow \swarrow \swarrow \swarrow \\
 300\,000\,000\text{ m/s} \\
 = 3 \times 10^8\text{ m/s}
 \end{array}$$

Worked example:

Question. What is 629000 in standard form?

Think

What do we need to multiply 6.29 by to equal 629 000?

$$\begin{aligned}
 629\,000 &= 6.29 \times 100\,000 \\
 &= 6.29 \times (10 \times 10 \times 10 \times 10 \times 10) \text{ (i.e. 5 places to the left)} \\
 &= \underline{6.29 \times 10^5}
 \end{aligned}$$

1) ✍ Write the following in standard form: i) 459 000 000, ii) 35 000, iii) 357, iv) 2398

In standard form we write the approximate size of the atom as  $1 \times 10^{-10} \text{ m}$ . It means that we divide 1 by  $10^{10}$  ( $= 1 \div (10 \times 10 \times 10)$ ) (i.e. divide 1 by 10, ten times). Remember that dividing by 10 moves the 1 one decimal place to the right.

$$\begin{array}{c} \div 10 \\ \swarrow \searrow \swarrow \searrow \swarrow \searrow \swarrow \searrow \swarrow \searrow \\ 0.000\ 000\ 000\ 1\ \text{m} \\ = 1 \times 10^{-10} \text{ m} \end{array}$$

Worked example:

Question. What is 0.000582 in standard form?



What do we need to divide 5.82 by to equal 0.000582?

$$\begin{aligned} 0.000582 &= 5.82 \div 10\ 000 \\ &= 5.82 \div (10 \times 10 \times 10 \times 10) \text{ (i.e. 4 places to the right)} \\ &= \underline{5.82 \times 10^{-4}} \end{aligned}$$

2) ✎ Write the following in standard form: i) 0.035, ii) 0.000 071, iii) 0.000 83, iv) 0.000 000 000 23

### Multiplying in standard form

Look what happens when we multiply two standard form numbers together:

$$\begin{array}{c} \text{add} \\ \curvearrowright \\ (5.7 \times 10^3) \times (3.2 \times 10^5) \\ \text{multiply} \curvearrowleft \\ = 18.24 \times 10^8 \end{array}$$

Which we can further simplify to:

$$= \underline{1.824 \times 10^9}$$

3) ✎ Multiply together the two numbers in each case: i)  $4.7 \times 10^3$ ,  $1.2 \times 10^2$ , ii)  $9.11 \times 10^5$ ,  $1.13 \times 10^8$ , iii)  $6.43 \times 10^{-4}$ ,  $4.12 \times 10^5$ , iv)  $5.3 \times 10^{-2}$ ,  $8.7 \times 10^{-5}$

## Dividing in standard form

Look what happens when we divide two standard form numbers together:

$$\begin{array}{r} (5.7 \times 10^3) \\ \div (3.2 \times 10^5) \\ \hline \end{array} \quad \begin{array}{l} \text{divide} \\ \text{subtract} \\ (3-5) \end{array}$$

$$= \underline{2.5 \times 10^{-2}}$$

4) ✎ Divide the first number by the second in each case: i)  $4.7 \times 10^3$ ,  $1.2 \times 10^2$ , ii)  $9.11 \times 10^5$ ,  $1.13 \times 10^8$ , iii)  $6.43 \times 10^{-4}$ ,  $4.12 \times 10^5$ , iv)  $5.3 \times 10^{-2}$ ,  $8.7 \times 10^{-5}$


## Using the calculator button for standard form

Most modern calculators have a button that you can use for standard form calculations.

For example, if you need to enter  $3.45 \times 10^5$  into your calculator:

Type 3.45, press the  button and enter 5.

button for  
standard  
form



Note: On some calculators, this button is shown as

